

**U.S. EPA Office of Transportation and Air Quality**  
**Bibliography of Near Roadway Health Effects and Exposure Studies**

January 2005

This bibliography is not comprehensive.

Studies Investigating Health Effects and Near-Roadway Exposures:

Brauer M, Hoek G, Van Vliet P, Meliefste K, Fishcer PH, Wijga A, Koopman LP, Neijens HJ, Gerritsen J, Kerkhof M, Heinrich J, Bellander T, Brunekreef B. (2002) Air pollution from traffic and the development of respiratory infections and asthmatic and allergic symptoms in children. *Am J Respir Crit Care Med* 166(8):1092-8.

Brunekreef B, Janssen NAH, de Hartog J, Harssema H, Knape M, van Vliet P. (1997) Air pollution from truck traffic and lung function in children living near motorways. *Epidemiol* 8(3): 298-303.

Buckeridge D, Gozdyra P, Ferguson K, Schrenk M, Skinner J, Tam T, Amrhein C. (1998) A study of the relationship between vehicle emissions and respiratory health in an urban area. *Geogr Environ Modeling* 2:17-36.

Buckeridge DL, Glazier R, Harvey BJ, Escobar M, Amrhein C, Frank J. (2002) Effect of motor vehicle emissions on respiratory health in an urban area. *Environ Health Perspect* 110(3):293-300.

Burr ML, Karani G, Davies B, Holmes BA, Williams KL. (2004) Effects on respiratory health of a reduction in air pollution from vehicle exhaust emissions. *Occupational and Environmental Medicine* 61:212-218.

Chauhan AJ, Inskip HM, Linaker CH, Smith S, Schreiber J, Johnston SL, Holgate ST. (2003) Personal exposure to nitrogen dioxide (NO<sub>2</sub>) and the severity of virus-induced asthma in children. *Lancet* 361(9373):1939. (Discusses mobile source NO<sub>2</sub> exposure)

Ciccone G. (2000) Features of traffic near houses and respiratory damage in children: the results of the SIDRIA (Italian Study on Respiratory Problems in Childhood and the Environment). *Annual 1<sup>st</sup> Super Sanita* 36(3)305-309. [article in Italian]

Ciccone G, Forastiere F, Agabiti N, Biggeri A, Bisanti L, Chellini E, Corbo G, Dell'Orco V, Dalmaso P, Volante TF, Galassi C, Piffer S, Renzoni E, Rusconi F, Sestini P, Viegi G. (1998) Road traffic and adverse respiratory effects in children. *Occup Environ Med* 55(11):771-778.

Cordier S, Monfort C, Filippini G, Preston-Martin S, Lubin F, Mueller BA, Holly EA, Peris-Bonet R, McCredie M, Choi W, Little J, Arslan A. (2004) Parental exposure to polycyclic aromatic hydrocarbons and the risk of childhood brain tumors. *Am J Epidemiol.* 159:1109-1116.

Crosignani P, Tittarelli A, Borgini A, Codazzi T, Rovelli A, Porro E, Contiero P, Bianchi N, Tagliabue G, Fissi R, Rossitto F, Berrino F. (2004) Childhood leukemia and road traffic: A population-based case-control study. *Int J Cancer* 108(4):596-599.

De Rosa M, Zarrilli S, Paesano L, Carbone U, Boggia B, Petretta M, Maisto A, Cimmino F, Puca G, Coalo A, Lombardi G. (2003) Traffic pollutants affect fertility in men. *Human Reprod* 18(5):1055-1061.

Delfino RJ. (2002) Epidemiologic evidence for asthma and exposure to air toxics: linkages between occupational, indoor, and community air pollution research. *Environ Health Perspect* 110(Supp 4):573-589. (Review Article)

Delfino RJ, Gong H, Linn WS, Pellizzari ED, Hu Y. (2003) Asthma symptoms in Hispanic children and daily ambient exposures to toxic and criteria air pollutants. *Environ Health Perspect* 111(4):647-656.

2

Delfino RJ, Gong H, Linn WS, Hu Y, Pellizzari E. (2003) Respiratory symptoms and peak expiratory flow in children with asthma in relation to volatile organic compounds in exhaled breath and ambient air. *J Expos Analysis Environ Epidemiol* 13:348-363.

Duhme H, Weiland SK, Keil U, Kraiemer B, Schmid M, Stender M, Chambless L. (1996) The association between self-reported symptoms of asthma and allergic rhinitis and self-reported traffic density on street of residence in adolescents. *Epid* 7(6):578-582.

Duhme H, Weiland SD, Rudolph P, Wienke A, Kramer A, Keil U. (1998) Asthma and allergies among children in West and East Germany: a comparison between Munster and Greifswald using the ISAAC phase I protocol. *International Study of Asthma and Allergies in Childhood. Eur Respir J.* 11(4):840-7.

Edwards J, Walters S, Griffiths RK. (1994) Hospital admissions for asthma in preschool children: relationship to major roads in Birmingham, UK; *Arch Environ Health* 49(4):223-227.

English P, Neutra R, Scalf R, Sullivan M, Waller L, Zhu L. (1999) Examining associations between childhood asthma and traffic flow using a geographic information system. *Environ Health Perspect* 107(9): 761-767.

Evans RG, Webb K, Homan S, Ayres SM (1998) Cross-sectional and longitudinal changes in pulmonary function associated with automobile pollution among bridge and tunnel officers. *Am J Ind Med* 14:25-36.

Feychting M, Svensson D, Ahlbom A. (1998) Exposure to motor vehicle exhaust and childhood cancer. *Scand. J. Work Environ. Health* 24: 8-11.

Finkelstein MM, Jerrett M, Sears MR. (2004) Traffic air pollution and mortality rate advancement periods. [OEM, need full citation]

- Fischer PH, Hoek G, van Reeuwijk H, Briggs DJ, Lebrecht E, van Wijnen JH, Kingham S, Elliott PE. (2000) Traffic-related differences in outdoor and indoor concentrations of particles and volatile organic compounds in Amsterdam. *Atmos Environ* 34: 3713-3722.
- Friedman MS, Powell KE, Hutwagner L, Graham LM, Teague WG. (2001) Impact of changes in transportation and commuting behaviors during the 1996 Summer Olympic Games in Atlanta on air quality and childhood asthma. *J American Medical Assoc* 285(7):897-905.
- Garshick E, Laden F, Hart JE, Caron A. (2003) Residence near a major road and respiratory symptoms in US Veterans. *Epidemiol* 14(6):728-736.
- Gehring U, Cyrus J, Sedlmeir G, Brunedreef B, Belander T, Fischer T, Bauer CP, Reinhardt D, Wichmann HE, Heinrich J. (2002) Traffic-related air pollution and respiratory health during the first 2 yrs of life. *Eur Respir J* 19(4):690-698.
- Gilleland F, Li Y-F, Saxon A, Diaz Sanchez D. (2004) Effect of GSTM1 and P1 genotypes on xenobiotic enhancement of allergic responses. *Lancet* 363:119-125.
- Gordian ME, Wakefield J, Hanuise S, Northon C, Lee W. (2004) Traffic Exposure as a Risk Factor for the Diagnosis of Asthma. in press.
- Guo YL, Lin YC, Sung FC, Huang S-L, Ko Y-C, Lai J-S, Su H-J, Shaw C-K, Lin R-S, Dockery DW. (1999) Climate, traffic-related air pollutants, and asthma prevalence in middle-school children in Taiwan. *Environ Health Perspect* 107(12):1001-1006.
- Harrison RM, Leung PL, Somerville L. (1999) Analysis of incidence of childhood cancer in the West Midlands of the United Kingdom in relation to proximity of main roads and petrol stations. *Occupational and Environmental Medicine* 56:774-780.
- Hirsch T, Weiland SK, von Mutius E, Safeca AF, Grafe H, Csaplovics E, Duhme H, Keil U, Leupold W. (1999) Inner city air pollution and respiratory health and atopy in children. *Eur Respir J* 14(3):669-677.
- Hirsch T, Neumeister V, Weiland SK, von Mutius E, Hirsch D, Grafe H, Duhme H, Leupold W. (2000) Traffic exposure and allergic sensitization against latex in children. *J Allergy Clin Immunol.* 106(3):573-8.
- Hoek G, Brunekreef B, Goldbohm S, Fischer P, van den Brandt PA. (2002) Association between mortality and indicators of traffic-related air pollution in the Netherlands: a cohort study. *Lancet* 360(9341):1203-1209.
- Ippen M, Fehr R, Krasemann EO. (1989) Cancer in residents of heavy traffic areas. *Versicherungsmedizin* 41(2):39-42.

Janssen HA J, Schwartz J, Zanobetti A, Suh HH. (2002) Air conditioning and source-specific particles as modifiers of the effect of PM<sub>10</sub> on hospital admissions for heart and lung disease. *Environ. Health Perspect.* 110:43-49.

Janssen NAH, Brunekreef B, van Vliet P, Aarts F, Meliefste K, Harssema H, Fishcer P. (2003) The relationship between air pollution from heavy traffic and allergic sensitization, bronchial hyper responsiveness and respiratory symptoms in Dutch school children. *Environ Health Perspect* 111(12):1512-1518.

Kagawa J (1994) Atmospheric pollution due to mobile sources and effects on human health in Japan. *Environ Health Perspect* 102(suppl 4):93-99.

Keil U, Weiland SK, Duhme H, Chambless L. (1996) The International Study of Asthma and Allergies in Childhood (ISAAC): objectives and methods; results from German ISAAC centres concerning traffic density and wheezing and allergic rhinitis. *Toxicol Lett.* 86(2-3):99-103.

Kim JJ, Smorodinsky S, Ostro B, Lipsett M, Singer BC, Hogdson AT. (2002) Traffic-related air pollution and respiratory health: the East Bay Children's Respiratory Health Study. *Epidemiol* 13(4):S100.

Kim JJ, Smorodinsky S, Lipsett M, Singer BC, Hogdson AT, Ostro B. (2004) Traffic-related air pollution near busy roads: the East Bay Children's Respiratory Health Study. *American Journal of Respiratory Critical Care Medicine.* Doi:10.1164/rccm.200403-281OC.

Knox EG, Gilman EA. (1997). Hazard proximities of childhood cancers in Great Britain from 1953-1980. *Journal of Epidemiology and Community Health.* 51: 151-159.

Krämer U, Koch T, Ranft U, Ring J, Behrendt H. (2000) Traffic-related air pollution is associated with atopy in children living in urban areas. *Epidemiology* 11:64-70.

Kunzli, N, Kaiser R, Medina S, Studnicka M, Chanel O, Filliger P, Herry M, Horak F Jr, Puybonnieux-Textier V, Quenel P, Schneider J, Seethaler R, Vergnaud J-C, Sommer H. (2000) Public-health impact of outdoor and traffic-related air pollution: a European assessment. *Lancet* 356:(9232):795-801.

Laden F, Neas, LM, Dockery DW, Schwartz J. (2000) Association of fine particulate matter from different sources with daily mortality in six U.S. cities. *Environ. Health Perspect.* 108:941-947.

Langholz B, Ebi KL, Thomas DC, et al. (2002) Traffic density and the risk of childhood leukemia in a Los Angeles case-control study. *Ann Epidemiol* 12(7):482-7.

Lee YL, Shaw CK, Su HJ, Lai JS, Ko YC, Huang SL, Sung FC, Guo YL. (2003) Climate, traffic-related air pollutants and allergic rhinitis prevalence in middle-school children in Taiwan. *Eur Respir J* 21(6):964-70.

Leikauf GD, Line S, Albert RE, Baxter CS, Bernstein DI, Buncher CR. (1995) Evaluation of a possible association of urban air toxics and asthma. *Environ Health Perspect* 103(suppl 6):253-271.

Lewis-Michl EL, Melius JM, Kallenback LR, Ju CL, Talbot TO, Orr MF, Lauridsen PE. (1996) Breast cancer risk and residence near industry or traffic in Nassau and Suffolk Counties, Long Island, New York. *Archives of Environ Health* 51(4):255-265.

Lin S, Munsie JP, Hwang SA, Fitzgerald E, Cayo MR. (2002) Childhood asthma hospitalization and residential exposure to state route traffic. *Environ Res* 88(2):73-81.

Livingstone AE, Shaddick G, Grundy C, Elliott P. (1996) Do people living near inner city main roads have more asthma needing treatment? Case-control study. *BMJ* 312:676-677.

Lwebuga-Mukasa JS, Ayirookuzhi SJ, Hyland A. (2003) Traffic volumes and respiratory health are utilization among residents in close proximity to the Peace Bridge before and after September 11, 2001. *J Asthma* 40(8):855-864.

Lwebuga-Mukasa JS, Oyana T, Thenappan A, Ayirookuzhi SJ. (2004) Association between traffic volume and health care use for asthma among residents at a U.S.-Canadian border crossing point. *J Asthma* 41(3):289-304.

Magnus P, Nafstad P, Oie L, et al. (1998) Exposure to nitrogen dioxide and the occurrence of bronchial obstruction in children below 2 years. *Int J Epidemiol* 27:995-999.

Maheswaran R, Elliott P. (2003) Stroke mortality associated with living near main roads in England and Wales: a geographical study. *Stroke* 34(12):2776-2780.

Malveaux FJ, Fletcher-Vincent SA. (1995) Environmental risk factors of childhood asthma in urban centers. *Environ Health Perspect* 103(suppl 6):59-62.

Mar TF, Norris GA, Koenig JQ, Larson TV. (2000) Associations between air pollution and mortality in Phoenix, 1995-1997. *Environ. Health Perspect.* 108:347-353.

Mar TF, Norris GA, Larson TV, Wilson WE, Koenig JQ (2003) Air pollution and cardiovascular mortality in Phoenix, 1995-1997. In: revised analyses of time-series studies of air pollution and health. Special report. Boston, MA: Health Effects Institute; pp. 177-182.

de Marco R, Poli A, Ferrari M, Accordini S, Giammanco G, Bugiani M, Villani S, Ponzio M, Bono R, Carrozzi L, Cavallini R, Cazzoletti L, Dallari R, Ginesu F, Lauriola P, Mandrioli P, Perfetti L, Pignato S, Pirina P, Struzzo P; ISAYA study group. (2002) Italian Study on Asthma in Young Adults. The impact of climate and traffic-related NO<sub>2</sub> on the prevalence of asthma and allergic rhinitis in Italy. *Clin Exp Allergy* 32(10):1405-1412.

McConnel R, Berhane K, Lurmann F, et al (2002) Traffic and asthma prevalence in children. Am J Respiratory Critical Care Med 165:A492.

Michelozzi P, Capon A, Barca A, et al. (2001) Traffic exposure and childhood leukaemia in Rome, Italy [abstract] Epidemiol 12:501.

Miguel et al (1996) Latex allergens in tire dust and airborne particles. Environ Health Perspect 104:1180-1186.

Miyake Y, Yura A, Iki M, et al. (2002) Relationship between distance from major roads and adolescent health in Japan. J Epidemiol 12(6): 418-23.

Murray P, Pooni M, Ahson M, Goff L, Nair P, Gill C, Sassi C, Russo G (2003) Effect of traffic, cycling and noise on asthma symptoms in a population survey. Eur Respir J 21:907

Morris SE, Sale RC, et al. (2000) Hospital admissions for asthma and chronic obstructive airways disease in east London hospitals and proximity of residence to main roads. J Epidemiol Community Health 54(1):75-76.

Mukala K, Pekkanen J, Tiittanen P, Alm S, Salonen RO, Jantunen M, Tuomisto J. (1996) Seasonal exposure to NO<sub>2</sub> and respiratory symptoms in preschool children. J Expo Anal Environ Epidemiol 6(2):197-210.

Murakami M, Ono M, Tamura K. (1990) Health problems of residents along heavy-traffic roads. J Human Ergol 19:101-106.

Nafstad P, Haheim LL, et al. (2003) Lung cancer and air pollution: a 27 year follow up of 16,209 Norwegian men. Thorax 58(12):1071-1076.

Nakatsuka H, Watanabe T, Ikeda M, Hisamichi S, Shimizu H, Fufisaku S, Ichirowatari Y, Konno J, Kuroda S, Ida Y, Suda S, Kato K. (1991) Comparison of the health effects between indoor and outdoor air pollution in Northeastern Japan. Environ Int 17:51-59.

Namdeo A and Bell MC (2005) Characteristics and health implications of fine and coarse particulates at roadside, urban background and rural sites in UK. Environment International (in press).

Nicolai T, Carr K, Weiland SK, Duhme H, von Ehrenstein O. (2003) Urban traffic and pollutant exposure related to respiratory outcomes and atopy in a large sample of children. Eur Respir J. 21(6):956-63.

Nielson, T, et al. (1996) City air pollution of polycyclic aromatic hydrocarbons and other mutagens: occurrence, sources and health effects. Sci Total Environ 189-190:41-49.

- Nikai S, Crest J, Nitta H, et al. (1999) Respiratory health associated with exposure to automobile exhaust. III. Results of a cross-sectional study in 1987, and repeated pulmonary function tests from 1987 to 1990. *Arch Environ Health* 54:26-32.
- Nitta H, Sato T, Meada K, Aoki S, Ono M. (1993) Respiratory health associated with exposure to automobile exhaust. I: Results of cross-sectional studies in 1979, 1982, and 1983. *Arch Environ Health* 48:53-58.
- Norlinder R, Jarvholm B. (1997) Environmental exposure to gasoline and leukemia in children and young adults - an ecology study. *Int Arch Occup Environ Health* 70:57-60.
- Nyberg F, Gustavsson P. et al. (2000) Urban air pollution and lung cancer in Stockholm *Epidemiology* 11(5):487-495.
- Oftedal B, Nafstad P, Magnus P, Bjorkly S, Skrondal A. (2003) Traffic related air pollution and acute hospital admission for respiratory diseases in Drammen, Norway 1995-2000. *Eur J Epidemiol.* 18(7):671-675.
- Oosterlee A, Drijver M, Lebret E, Brunekreef B. (1996) Chronic respiratory symptoms in children and adults living along streets with high traffic density. *Occup Environ Med* 53:241-247.
- Özkaynak H, Xue J, Zhou H, Raizenne M. (1996) Associations between daily mortality and motor vehicle pollution in Toronto, Canada. Boston, MA: Harvard University School of Public Health, Department of Environmental Health; March 25.
- Pearson RL, Wachtel H, Ebi L. (2000) Distance-weighted traffic density in proximity to a home is a risk factor for leukemia and other childhood cancers. *J Air Waste Mgmt Assoc* 50: 175-180.
- Perera FP, Tang D, Tu Y-H, Cruz LA, Borjas M, Bernert T, Whyatt RM. (2004) Biomarkers in maternal and newborn blood indicate heightened fetal susceptibility to procarcinogenic DNA damage. *Environ Health Perspect.* 112(10):1133-1136.
- Pereira LA, Loomis, D, Conceicao GM et al (1998) Association between air pollution and intrauterine mortality in Sao Paulo Brazil *Environ Health Perspect* 106:325-329.
- Pershagen G, Rylander E, Norberg S, Eriksson M, Nordvall SL. (1995) Air pollution involving nitrogen dioxide exposure and wheezing bronchitis in children. *Int. J. Epid.*24:1147-1153.
- Peters A, Wichmann HE et al. (1997) Respiratory effects are associated with the number of ultrafine particles. *Am J Respir Crit Care Med* 155(4):1376-1383.

Peters JM, Avol E, Navidi W, London SJ, Gauderman WJ, Lurmann F, Linn WS, Margolis H, Rappaport E, Gong H Jr, Thomas DC. (1999) A study of twelve Southern California communities with differing levels And types of air pollution. I. Prevalence of respiratory morbidity. *Am J Respir Crit Care Med* 159:760-767. [not specifically near roadway]

Peters JM, Avol E, Gauderman, Linn WS, Navidi W, London SJ, Margolis H, Rappaport E, Vora H, Gong H Jr, Thomas DC. (1999) A study of twelve Southern California communities with differing levels And types of air pollution. II. Effects on pulmonary function. *Am J Respir Crit Care Med* 159:760-767. [not specifically near roadway]

Peters A, von Klot S, Heier M, Trentinaglia I, Hormann A, Wichmann E, Lowel H (2004) Exposure to traffic and the onset of myocardial infarction. *The New England J of Med* 351:1721-1730.

Pikhart H, Bobak M, et al. (2000) Outdoor air concentrations of nitrogen dioxide and sulfur dioxide and prevalence of wheezing in school children. *Epidemiology* 12(6):649-653.

Raaschou-Nielsen O, Hertel O, Thomsen BL, Olsen JH. (2001) Air pollution from traffic at the residence of children with cancer. *Am J Epidemiol* 153(5):433-443.

Reynolds P, Elkin E, Scalf R, et al. (2001) Case-control pilot study of traffic exposures and early childhood leukemia using a geographic information system. *Bioelectromagnetics Suppl* 5:S58-S68.

Reynolds P, von Behren J, Gunier RB, Goldberg DE, Hertz A, Smith D. (2002) Traffic patterns and childhood cancer incidence rates in California, United States. *Cancer Causes and Control* 13:665-673.

Reynolds P, von Behren J, Gunier RB, Goldberg DE, Hertz A. (2004) Residential exposure to traffic in California and childhood cancer. *Epidemiol* 15(1):6-12.

Riediker M, Cascio WE, Griggs TR, Herbst MC, Bromber PA, Neas L, Williams R, Devlin RB. (2004) Particulate matter exposure in cars is associated with cardiovascular effects in healthy, young men. *Am J Respir Crit Care Med* 169:934-940.

Riediker M, Devlin RB, Griggs TR, Herbst MC, Bromberg PA, Williams RW, Cascio WE (2004) Health effects in highway patrol troopers are associated to traffic source of particulate matter. In Press.

Roemer WH, van Wijnen JH. (2001) Daily mortality and air pollution along busy streets in Amsterdam, 1987-1998. *Epid.* 12(6):649-653.

Ritz B, Yu F. (1999) The effect of ambient carbon monoxide on low birth weight among children born in southern California between 1989 and 1993. *Environ Health Perspect* 107:17-25.

Ritz B, Yu F, Chapa G, Fruin S. (2000) Effect of air pollution on preterm birth among children born in Southern California between 1989 and 1993. *Epidemiology* 11(5):502-511.

Ritz B, Yu F, Fruin S, Chapa G, Shaw GM, Harris JA. (2002) Ambient air pollution and risk of birth defects in southern California. *Am J Epidemiol* 155(1):17-25.

Rutishauser M, Ackermann U, Braun CH, Gnehm HP, Wanner HU. (1990) Significant associations between outdoor NO<sub>2</sub> and respiratory symptoms in preschool children. *Lung* 168(suppl):347-352.

Salam MT, Yi Y-F, Langholz B, Gilliland FD. (2004) Early life environmental risk factors for asthma: findings from the Children's Health Study. *Environ Health Perspect* 112(6):760-725.

Savitz DA, Feingold L. (1989) Association of childhood cancer with residential traffic density. *Scand. J. Work Environ. Health* 15:360-363.

Schwartz J, Laden F, Zanobetti, A. (2002) The concentration-response relation between PM<sub>2.5</sub> and daily deaths. *Env Health Perspect* 110(10):1025-1029.

Schwartz J (2003) Daily deaths associated with air pollution in six US cities and short-term mortality displacement in Boston. In: Revised analyses of time-series studies of air pollution and health. Special report. Boston, MA: Health Effects Institute; pp. 219-226.

Sekine K, Shima M, Nitta Y, Adachi M. (2004) Long term effects of exposure to automobile exhaust on the pulmonary function of female adults in Tokyo, Japan. *Occup Environ Med.* 61:350-357.

Shima M, Nitta Y, Adachi M. (2003) Traffic-related air pollution and respiratory symptoms in children living along trunk roads in Chiba Prefecture, Japan. *J Epidemiol* 13(2):108-19.

Speizer FE, Ferris B Jr, Burgess W. (1971) The prevalence of respiratory findings in a population with defined chronic exposure to ambient levels of automobile exhaust. *Chest* 59:Suppl:32S+.

Speizer FE, Ferris BG Jr. (1973). Exposure to automobile exhaust. I. Prevalence of respiratory symptoms and disease. *Archives of Environmental Health.* 26(6): 313-8.

Speizer FE, Ferris BG Jr. (1973) Exposure to automobile exhaust. II: Pulmonary function measurements. *Arch Environ Health* 26:319-324.

Steenenbert PA, Nierkens S, Fischer PH, van Loveren H, Opperhuizen A, Vos JG, van Amsterdam JG. (2001) Traffic-related air pollution affects peak expiratory flow, exhaled nitric oxide, and inflammatory nasal markers. *Arch Environ Health*. 56(2):167-174.

Steffen C, Auclere MF, Auvrignon A, Baruchel A, Kebaili K, Lambilliotte A, Leverger G, Sommelet D, Vilmer E, Hemon D, Clavel J. (2004) Acute childhood leukaemia and environmental exposure to potential sources of benzene and other hydrocarbons; a case-control study. *Occup Environ Med* 61(9):773-778.

Studnicka M, Hackl E, Pischinger J, Fangmeyer C, Haschke N, Kuhr J, Urbanek R, Neumann M, Frischer T. (1997) Traffic-related NO<sub>2</sub> and the prevalence of asthma and respiratory symptoms in seven year olds. *Eur Respir J* 10(10):2275-2278.

Svartengren M, Strand V, Bylin G, Jarup L, Pershagen G. (2000) Short-term exposure to air pollution in a road tunnel enhances the asthmatic response to allergen. *Eur Respir J* 15:716-724.

Szagun and Seidel. (2000). Mortality due to road traffic in Baden-Aurttemberg ñ air pollution, accidents, noise. *Gesundheitswesen*. 62(4): 225-33.

Tarkiainen TH, Timonen KL, Vanninen EJ, Alm S, Hartikainen JE, Pekkanen J. (2003) Effect of acute carbon monoxide exposure on heart rate variability in patients with coronary artery disease. *Clin Physiol Funct Imaging* 23(2):98-102.

Tiittanen P, Timonen KL, et al. (1999) Fine particulate air pollution, resuspended road dust and respiratory heath among symptomatic children. *Eur Respir J* 13(2):266-273.

Tollerud DJ, Weiss ST, Elting E, Speizer FE. (1983) Health effects of exposure to automobile exhaust. VI: Relationship of respiratory symptoms and pulmonary function in tunnel and turnpike workers. *Arch Environ Health* 38:334-340.

Tsai FC, Apte MG, Daisey JM. (2000) An exploratory analysis of the relationship between mortality and the chemical composition of airborne particulate matter. *Inhalation Toxicol*. 12(suppl.):121-135.

Ulfvarson U, Alexandersson R, Aringer L, Svensson E, Hedenstierna G, Hogstedt C, Holmberg B, Rosen G, Sorsa M. (1987) Effects of exposure to vehicle exhaust on health. *Scand J Work Environ Health* 13:505-512.

Ulvestad B, Bakke B, Melbostad E, Fuglerud P, Kongerud J, Lund MB. (2000) Increased risk of obstructive pulmonary disease in tunnel workers. *Thorax* 55:277-282.

Van Vliet P, Knape M, de Hartog J, Janssen N, Harssema H, Brunekreef B. (1997) Motor vehicle exhaust and chronic respiratory symptoms in children living near freeways. *Environ Res*

74(2):122-132.

Venn A, Lewis S, Cooper M, Hubbard R, Hill I, Boddy R, Bell M, Britton J. (2000) Local road traffic activity and the prevalence, severity, and persistence of wheeze in school children: combined cross sectional and longitudinal study. *Occup. Environ. Med.* 57:152-158.

Venn AJ, Lewis SA, Cooper M, Hubbard R, Britton J. (2001) Living near a main road and the risk of wheezing illness in children. *Am J Respir Crit Care Med* 164(12):2177-2180.

Waldron G, Pottle B, Dod J. (1995) Asthma and the motorways – one District's experience. *J Public Health Med.* 17:85-89.

Wang X, King H, Ryan L, Xu X 1997 Association between air pollution and low birth weight: a community-based study. *Environ Health Perspect* 105:514-520.

Watt M, Godden D, Cherrie J, Seaton A. (1995) Individual exposure to particulate air pollution and its relevance to thresholds for health effects: a study of traffic wardens. *Occup Environ Med* 52:790-792.

Weiland SK, Mundt KA, Ruckmann A, Keil U. (1994) Self-reported wheezing and allergic rhinitis in children and traffic density on street of residence. *Ann Epidemiol* 4:243-247.

Wichmann HE, Spix C, et al. (2000) Daily mortality and fine and ultrafine particles in Erfurt, Germany Part I: role of particle number and particle mass. *Res Rep Health Eff Inst* 98:5-94.

Wilhelm M, Ritz B. (2003) Residential proximity to traffic and adverse birth outcomes in Los Angeles County, California, 1994-1996. *Env Health Perspect* 111:207-216.

Wilkinson P, Elliott P, Grundy C, Shaddick G, Thakrar B, Walls P, Falconer S. (1999) Case-control study of hospital admission with asthma in children aged 5-14 years: relation with road traffic in north west London. *Thorax* 54:1070-1074.

Wjst M, Reitmeir P, Dold S, Wulff A, Nicolai T, Loeffelholz-Colberg EF, von Mutius E. (1993) Road traffic and adverse effects on respiratory health in children. *Br. Med. J.* 307(6904):596-600.

Whyatt R, Santella RM, Jedrychowski W, Garte SJ, Bell DA, Ottman R, Gadek-Yarborough A, Cosma G, Young T-L, Cooper TE, Randall MC, Manchester DK, Perera F. (1998) Relationship between ambient air pollution and DNA damage in Polish mothers and newborns. *Environmental Health Perspec.* 106(3).

Wyler C, Braun-Fahrlander C, Kunzli N, Schindler C, Ackermann-Liebrich U, Perruchoud AP, Leuenberger P, Wuthrich B. (2001) Exposure to motor vehicle traffic and allergic sensitization. The Swiss Study on Air Pollution and Lung Diseases in Adults (SAPALDIA) Team. *Epidemiol*

11(4):450-456.

Yamazaki S, Sokejima S, Nitta H, Nakayama T, Fukuhara S. (2005) Living close to automobile traffic and quality of life in Japan: A population-based survey. *International Journal of Environmental Health Research* 15(1):1-9.

Yang CY, Yu ST, Chang CC. (2002) Respiratory symptoms in primary schoolchildren living near a freeway in Taiwan. *J Toxicol Environ Health A* 65(10):747-55.

Zmirou D, Gauvin S, Pin I, Momas I, Just J, Sahraoui F, Le Moullec Y, Bremont F, Cassadou S, Albertini M, Lauvergne N, Chiron M, Labbe A. (2002) Five epidemiological studies on transport and asthma: objectives: design and descriptive results. *J Exposure Analysis Environ Epidemiol* 12:186-196.

Zmirou D, Gauvin S, Pin I, Momas I, Sahraoui F, Just J, Le Moullec Y, Bremont F, Cassadou S, Reungoat P, Albertini M, Lauvergne N, Chiron M, Labbe A. (2004) Traffic related air pollution and incidence of childhood asthma: results of the Vesta case-control study. *J Epidemiol Community Health* 58(1):18-23.

Zuskin E, Mustajbegovic J, Schachter EN, Kern J, Vadjic V, Strok N, Turcic N, Ebling Z. (2000) Respiratory findings in mail carriers. *Int Archives Occup Environ Health* 73(2):136-143.

## Exposures and Concentrations of Motor Vehicle Pollutants Near Roadways:

Abraham JL, Siwinski G, Hunt A. (2002) Ultrafine particulate exposures in indoor, outdoor, personal and mobile environments: effects of diesel, traffic, pottery kiln, cooking and HEPA filtration on micro-environmental particle number concentration. *Ann Occup Hyg* 46(suppl. 1):406-411.

Alm S, Mukala K, Jantunen MJ. (2000) Personal carbon monoxide exposures of preschool children in Helsinki, Finland: levels and determinants. *Atmos Environ* 34:277-285.

Bae H, Yang W, Chung M. (2004) Indoor and outdoor concentrations of RSP, NO<sub>2</sub> and selected volatile organic compounds at 32 shoe stalls located near busy roadways in Seoul, Korea. *Sci Tot Environ* 323:99-105.

Beauchamp J, Wisthaler A, Grabmer W, Neuner C, Weber A, Hansel A. (2004) Short-term measurements of CO, NO, NO<sub>2</sub>, organic compounds and PM<sub>10</sub> at a motorway location in an Australian valley. *Atmos Env* 38:2511-2522.

Bellander T, Berglind N, Gustavsson P, Jonson T, Nyberg F, Pershagen G, Jarup L. (2001) Using geographic information systems to assess individual historical exposure to air pollution from traffic and house heating in Stockholm. *Environ Health Perspect* 109(6):633-639.

Brauer M, Hoek G, van Vliet P, Meliefste K, Fischer P, Gehring U, Heinrich J, Cyrys J, Bellander T, Lewne M, Brunekreef B. (2003) Estimating long-term average particulate air pollution concentrations: application of traffic indicators and geographic information systems. *Epidemiol* 14:228-239.

Briggs DJ, de Hoogh C, Gulliver J, et al. (2000) A regression-based method for mapping traffic-related air pollution: application and testing in four contrasting urban environments. *Sci Total Environ* 253:151-167.

Bunn HJ, Dinsdale D, Smith T, Grigg J. (2001) Ultrafine particles in alveolar macrophages from normal children, *Thorax* 56: 932-934.

Buratti M, Pellegrino O, Valla C, Fustinoni S, Colombi A. (1997) Biological monitoring of environmental benzene exposure in traffic wardens. *Medicina del Lavoro* 88(3):208-219. [Italian]

Burgess W, DiBerardinis L, Speizer FE. (1973) Exposure to automobile exhaust. 3. An environmental assessment. *Arch Environ Health* 26(6):325-329.

Burgess WA, DiBerardinis L, Speizer FE. (1977) Health effects of exposure to automobile exhaust V. Exposure of toll booth operators to automobile exhaust. *Am Ind Hyg Assoc J*

38(4):184-191.

Caroli S, Alimonti A, Petrucii F, Bocca B, Krachler M, Forastiere F, Sacerdote MT, Mallone S. (2001) Assessment of exposure to platinum-group metals in urban children. *Spectrochimica Acta Part B* 56:1241-1248.

Chan, C.C., H. Ozkaynak, J.D. Spengler, L. Sheldon, W. Nelson, and L. Wallace. 1989. Commuter's exposure to volatile organic compounds, ozone, carbon monoxide, and nitrogen dioxide. *Air and Waste Management Association Paper* 89-34A.4.

Chan LY, Wu HWY. (1993) A study of bus commuter and pedestrian exposure to traffic air pollution in Hong Kong. *Environmental Internat* 19:121-132.

Chan LY, Chan CY, Qin Y. (1999) The effect of commuting microenvironment on commuter exposures to vehicular emission in Hong Kong. *Atmos Environ* 33(11):1777-1787.

Chan LY, Liu YM. (2001) Carbon monoxide levels in popular passenger commuting modes traversing major commuting routes in Hong Kong. *Atmos Environ* 35(15):2637-2646.

Chan CY, Chan LY, Wang XM, Liu YM, Lee SC, Zou SC, Sheng GY, Fu JM. (2002) Volatile organic compounds in roadside microenvironments of metropolitan Hong Kong. *Atmos Environ* 36:2039-2047.

Chan LY, Lau WL, Wang XM, Tang JH. (2003) Preliminary measurements of aromatic VOCs in public transportation modes in Guangzhou, China. *Environment Internat* 29:429-435.

Charron A, Harrison RM. (2003) Primary particle formation from vehicle emissions during exhaust dilution in the roadside atmosphere. *Atmos Environ* 37(29):4109-4119.

Claiborn C, Mitra A, Adams G, Bamesberger L, Allwine G, Kantamaneni R, Lamb B, Westberg H. (1995) Evaluation of PM10 emission rates from paved and unpaved roads using tracer techniques. *Atmos Environ* 29(10):1075-1089.

Collett RS, Oduyemi K, Davidson B. (1997) An investigation into ambient levels of traffic-related pollutant in urban centres: a case study of the Seagate, Dundee, United Kingdom. *J Environmental Manag* 51(3):289-304.

Colville RN, Gomez-Perales JE, Nieuwenhuijsen MJ. (2003) Use of dispersion modeling to assess road-user exposure to PM2.5 and its source apportionment. *Atmos Environ* 37(20):2773-2782.

Council TB, Duckenfield KU, Landa ER, Callender E. (2004) Tire-wear particles as a source of zinc to the environment. *Environ Sci Technol* 38:4206-4214.

Dubowsky SD, Wallace LA, Buckley TJ. (1999) The contribution of traffic to indoor concentrations of polycyclic aromatic hydrocarbons. *J Expo Anal Env Epidemiol* 9:312-321.

Ebelt S, Brauer M, Cyrus J, Tuch T, Kreyling WG, Wichmann HE, Heinrich J. (2001) Air quality in postunification Erfurt, East Germany: associating changes in pollutant concentrations with changes in emissions. *Environ Health Perspect* 109(4):325-33.

Eiguren-Fernandez A, Miguel AH, Froines JR, Thurairatnam S, Avol EL. (2004) Seasonal and spatial variation of polycyclic aromatic hydrocarbons in vapor-phase and PM<sub>2.5</sub> in Southern California urban and rural communities. *Aerosol Science & Technol.* 38(5):447-455.

Fernandez-Bremauntz AA, Ashmore MR. (1995) Exposure of commuters to carbon monoxide in Mexico City I. Measurement of in-vehicle concentrations. *Atmos Environ* 29:525-532.

Fischer PH, Hoek G, van Reeuwijk H, Briggs D, Lebret E, van Wijnen JH, Kingham S, Elliott PE. (2000) Traffic-related differences in outdoor and indoor concentration of particles and volatile organic compounds in Amsterdam. *Atmos Environ* 34:3713-3722.

Flachsbart PG, Howes JE, Mack GA, Rodes CE. (1987) Carbon monoxide exposures of Washington commuters. *J Air Pollut Control Assoc* 37:135-142.

Flachsbart P. (1995) Long-term trends in United States highway emissions, ambient concentrations, and in-vehicle exposure to carbon monoxide in traffic. *J Expo Anal Environ Epidemiol* 5:473-495.

Flachsbart P, Ott W, Switzer P. (2003) Long-term trends in exposure to carbon monoxide on a California arterial highway. *Air and Waste Management Association Conference Paper #69237*.

Fraigneau YC, Bonzalez M, Coppalle A. (1995) Dispersion and chemical reaction of a pollutant near a motorway. *Sci Total Environ* 169:83-91.

Fruin SA, Winer AM, Rodes CE. (2004) Black carbon concentrations in California vehicles and estimation of in-vehicle diesel exhaust particulate matter exposures. *Atmos Env Int* 38:4123-4133.

Gilbert NL, Woodhouse S, Stieb DM and Brook JM (2003) Ambient nitrogen dioxide and distance from a major highway. *The Science of the Tot Environ* 312(1-3):43-46.

Gomez-Perales ME, Colville RN, Nieuwenhuijsen MJ, Fernandez-Gremauntz A, Gutierrez-Avedoy VJ, Paramo-Figueroa VH, Blanco-Jimenez S, Bueno-Lopez E, Mandujano F, Bernabe-Cabanillas R, Ortiz-Segovia E. (2004) Commuters' exposure to PM<sub>2.5</sub>, CO, and benzene in public transport in the metropolitan area of Mexico City. *Atmos Environ* 38:1219-1229.

- Gotschi T, Oglesby L, Mathys P, Monn C, Manalis N, Koistinen K, Jantunen M, Hanninen O, Polanska L, Kunzli N. (2002) Comparison of black smoke and PM<sub>2.5</sub> levels in indoor and outdoor environments of four European cities. *Environ Sci Technol* 36(6):1191-1197.
- Gramotnev G, Ristovski Z. (2004) Experimental investigation of ultra-fine particle size distribution near a busy road. *Atmos Environ* 38:1767-1776.
- Gramotnev G, Ristovski ZD, Brown RJ, Madl P. (2004) New methods of determination of average particle emission factors for two groups of vehicles on a busy road. *Atmos Env* 38:2607-2610.
- Gunier RB, Hertz A, Von Behren J, et al (2003) Traffic density in California: socioeconomic and ethnic differences among potentially exposed children. *J Expo Anal Environ Epidemiol* 13:240-246.
- Gulliver J, Briggs DJ. (2004) Personal exposure to particulate air pollution in transport microenvironment *Atmos Environ* 38(1):1-8.
- Harrad S, Hassoun S, Callen Romero MS, Harrison RM (2003) Characterisation and source attribution of the semi-volatile organic content of atmospheric particles and associated vapour phase in Birmingham, UK. *Atmos Environ* 37(35):4985-4991.
- Harrison RM, Tilling R, Romero M.S.C., et al. (2003) A study of trace metals and polycyclic aromatic hydrocarbons in the roadside environment. *Atmos. Environ.* 37:2391-2402.
- Harrison RM, Jones AM, Lawrence RG (2003) A pragmatic mass closure model for airborne particulate matter at urban background and roadside sites. *Atmos Environ* 37(35):4927-4933.
- Harrison RM, Jones AM, Lawrence RG (2004) Major component composition of PM<sub>10</sub> and Pm<sub>2.5</sub> from roadside and urban background sites. *Atmos Env* 38:4531-4538.
- Hitchins J, Morawska L, Wolff R, Gilbert D. (2000) Concentrations of submicrometre particles from vehicle emissions near a major road. *Atmos Environ* 34:51-59.
- Hoek G, Meliefste K, Cyrys J, et al. (2002) Spatial variability of fine particle concentrations in three European areas. *Atmos Environ* 36:4077-4088.
- Ilgel E, Karfich N, Levsen K, Angerer J, Schneider P, Heinrich J, Wichmann H, Dunemann L, Begerow J. (2001) Aromatic hydrocarbons in the atmospheric environment: Part I. Indoor versus outdoor sources, the influence of traffic. *Atmos Environ* 35:1235-1252.
- Janssen NAH, van Vliet P, Aarts F, Harssema H, Brunekreef B. (2001) Assessment of exposure to traffic related air pollution of children attending schools near motorways. *Atmos Environ*

35:3875-3884.

Janssen NAH, van Mansom DFM, van der Jagt K, Harssema H, Hoek G. (1997) Mass concentration and elemental composition of airborne particulate matter at street and background locations. *Atmos Environ* 31(8):1185-1193.

Jermann E, Hajimiragha H, Brockhaus A, Freier I, Ewers U, Roscovanu A (1989) Exposure of children to benzene and other motor vehicle emissions. *Zentralblatt fur Hygiene und Umweltmedizin* 189:50-61.

Jinsart W, Tamura K, Loetkamonwit S, Thepanondh S, Karita K, Yano E. (2002) Roadside particulate air pollution in Bangkok. *J Air Waste Manag Assoc* 52(9):1102-10.

Jo WK, Choi SJ (1996) Vehicle occupants' exposure to aromatic volatile organic compounds while commuting on an urban-suburban route in Korea. *J Air Waste Manag Assoc* 46(8):749-754.

Jo WK, Park KH. (1999) Concentrations of volatile organic compounds in the passenger side and the back seat of automobiles. *J Expo Anal Environ Epidemiol* 9(3):217-27.

Junker M, Kasper M, Roosli M, Camenzind M, Kunzli N, Monn Ch, Theis G, Braun-Fahrlander Ch. (2000) Airborne particle number profiles, particle mass distributions and particle-bound PAH concentrations within the city environment of Basel: an assessment as part of the BRISKA Project. *Atmos Environ* 34:3171-3181.

Kingham S, Meaton J, Sheard A, Lawrenson O. (1998) Assessment of exposure to traffic-related fumes during the journey to work. *Transportation Research Part K: Transport and Environment* 3(4):271-274.

Kingham S, Briggs D, Elliott P, Fishcer P, Lebet E. (2000) Spatial variations in the concentrations of traffic-related pollutant in indoor and outdoor air in Huddersfield, England. *Atmos Environ* 34:905-916.

Kinney PL, Aggarwal M, Northridge ME, Janssen N, Shepard P. (2000) Airborne concentrations of PM<sub>2.5</sub> and diesel exhaust particles on Harlem sidewalks: a community-based pilot study. *Environ Health Perspect* 108:213-218.

Kinney PL, Schilrud SN, Ramstrom S, Ross J, Spengler JD. (2002) Exposures to multiple air toxics in New York City. *Environ Health Perspect* 110(4):539-546.

Kittelson, DB, Watts, WF and Johnson JP (2004) Nanoparticle emissions on Minnesota highways *Atmos Environ* 38(1):9-19.

- Kuhn T, Krudysz M, Zhu Y, Fine PM, Hinds WC, Froines J, Sioutas C. (2005) Volatility of indoor and outdoor ultrafine particulate matter near a freeway. *J Aerosol Sci* (doi:10.1016/j.jaerosci.2004.09.006).
- Lau WL, Chan LY. (2003) Commuter exposure to aromatic VOCs in public transportation modes in Hong Kong. *Sci Total Environ* 308(1-3):143-55.
- Lawryk NJ, Lioy PJ, Weisel CP. (1995) Exposure to volatile organic compounds in the passenger compartment of automobiles during periods of normal and malfunctioning operation. *J Expo Anal Environ Epidemiol* 5(4):511-31.
- Lebret E, Briggs D, van Reeuwijk H, Fischer P, Smallbone K, Harssema H, Kriz B, Gorynski P, Elliott P. (2000) Small area variations in ambient NO<sub>2</sub> concentrations in four European areas. *Atmos Environ* 34:177-185.
- Lena TS, Ochieng V, Carter M, Holguin-Veras J, Kinney PL. (2002) Elemental carbon and PM<sub>2.5</sub> levels in an urban community heavily impacted by truck traffic. *Environ. Health Perspect* 110:1009-1015.
- Levy JJ, Bennett DH, Melly SJ, Spengler JD. (2003) Influence of traffic patterns on particulate matter and polycyclic aromatic hydrocarbon concentrations in Roxbury, Massachusetts. *J Expo Anal Environ Epidemiol* 13(5):364-371.
- Levy JJ, Houseman EA, Spengler JD, Loh P, Ryan L. (2001) Fine particulate matter and polycyclic aromatic hydrocarbon concentration patterns in Roxbury, Massachusetts: a **community-based GIS analysis. *Environ Health Perspect* 109(4):341-7.**
- Linaker CH, Chauhan AJ, Inskip H, et al. (1996) Distribution and determinants of personal exposure to nitrogen dioxide in school children. *Occup Environ Med* 53:200-203.
- Lu R, Wu J, Turco RP, Winer AM, Atkinson R, Arey J, Paulson SE, Lurmann FW, Miguel AH, Eiguren-Fernandez A. (2005) Naphthalene distributions and human exposure in Southern California. *Atmos Env* 39:489-507.
- Maeda K, Nitta H, Nakai S. (1991-92) Exposure to nitrogen oxides and other air pollutants from automobiles. *Public Health Reviews* 19(1-4):61-72.
- Martuzevicius D, Grinshpun SA, Reponen T, Gorny RL, Shukla R, Lockey J, Hu S, McDonald R, Biswas P, Kliucininkas L, LeMasters G. (2004) Spatial and temporal variations of PM<sub>2.5</sub> concentration and composition throughout an urban area with high freeway density – the Greater Cincinnati study. *Atmos Environ* 38:1091-1105.
- Merlo F, Bolognesi C, Peluso M, Valeio F, Abbondandolo A, Puntoni R. (1997) Airborne levels

of polycyclic aromatic hydrocarbons:32-p-postlabeling DNA adducts and micronuclei in white blood cells from traffic police workers and urban residents. *Journal of Environmental Pathology Toxicology and Oncology* 16(2 and 3):157-162.

Minoia C, Meroni G, Aprea C, Oppezzo MC, Magnaghi S, Sciarra G, Barisano A, Fiorentino ML, Berri A, Bellinzona M, Robusteli della Cuna FS, Frigeria F, Schiavi A, Di Gregorio L. (1996) Environmental and urinary reference values as markers of exposure to hydrocarbons in urban areas. *Sci Tot Environ* 192(2):163-182.

Molnár P, Janhäll S, Hallquist M. (2002) Roadside measurements of fine and ultrafine particles at a major road north of Gothenburg. *Atmos Environ* 36:4115-4123.

~~Mrs J Ali F, Mlle Y (199) Assnat d'exposicio a l'aire pol·luciu a nivell personal i ambiental. *Publicacions de l'Institut de Recerca i Anàlisi Ambiental* 1:1-13~~

~~Mlle C (20) Exposicio a l'aire pol·luciu a nivell personal i ambiental. *Publicacions de l'Institut de Recerca i Anàlisi Ambiental* 3:1-3~~

~~Mlle C, Galis V, Jula M, Mlle R, Mlle H (199) S'ha estudiat la validesa dels mètodes de mostreig i d'anàlisi de l'aire pol·luciu a nivell personal i ambiental. *Publicacions de l'Institut de Recerca i Anàlisi Ambiental* 3:23-27~~

~~Mlle C, Galis V, Jula M, Mlle R, Mlle H (199) Estudi de l'impacte ambiental dels pol·lucions a nivell personal i ambiental. *Publicacions de l'Institut de Recerca i Anàlisi Ambiental* 3:11-17~~

Nakai S, Nitta H, Maeda K. (1995) Respiratory health associated with exposure to automobile exhaust. II. Personal NO<sub>2</sub> exposure levels according to distance from the roadside. *J Expo Anal Environ Epidemiol* 5:125-136.

Nanzetta MD, Holmen BA. (2004) Roadside particle number distributions and relationships between number concentrations, meteorology, and traffic along a Northern California freeway. *J Air & Waste Management Assoc* 54:540.

Naumova YY, Eisenreich SJ, Turpin BJ, et al. (2002) Polycyclic aromatic hydrocarbons in the indoor and outdoor air of three cities in the U.S. *Env. Sci. Technol.* 2552 - 2559.

Nielsen T. (1996) Traffic contribution of polycyclic aromatic hydrocarbons in the center of a large city. *Atmos Environ* 20:3481-3490.

Ott W, Switzer P, Willitis N. (1994) Carbon monoxide exposures inside an automobile traveling on an urban arterial highway. *J Air and Waste Management Assoc* 44:1010-1018.

Perico A, Gottardi M, Boddi V, Bavazzano P and Lanxciotti E. (2001) Assessment of exposure to polycyclic aromatic hydrocarbons in police in Florence, Italy, through personal air sampling and biological monitoring of the urinary metabolite 1-hydroxypyrene. *Archives of Environmental Health* 56(6):506-512.

Pfeffer HU (1994) Ambient air concentrations of pollutants at traffic-related sites in urban areas of North Rhine-Westphalia, Germany. *Sci Total Environ* 146/147:263-273.

Piccardo MT, Stella A, Redaelli A, Minoia C, Valerio F. (2003) Newsagents' daily personal exposures to benzo(a)pyrene in Genoa, Italy. *Atmos Environ* 37(5):603-613.

Pikhart H, Bobak M, Elliot P, Briggs D. (1999) Prediction of ambient concentrations of nitrogen dioxide by traffic volume and other variables. *Epidemiol* 10:S136.

Putaud J-P, Raes F, Van Dingenen R, Brüggemann E, Facchini M-C, Decesari S, Fuzzi S, Gehrig R, Hüglin C, Laj P, Lorbeer G, Maenhaut W, Mihalopoulos N, Müller K, Querol X, Rodríguez S, Schneider J, Spindler G, ten Brink H, Tørseth K, Wiedensohler A. (2004) A European aerosol phenomenology - 2: chemical characteristics of particulate matter at kerbside, urban, rural and background sites in Europe. *Atmos Env Internat* 38:2579-2595.

Qin Y, Chan LY. (1993) Traffic source emission and street level air pollution in urban areas of Guangzhou, South China (P.R.C.). *Atmos Environ Part B* 27(3):275-282.

Raaschou-Nielsen O, Olsen, JH, Hertel O, Berkowicz R, Skov H, Hansen AM, Lohse C. (1996) Exposure of Danish children to traffic exhaust fumes. *Sci of the Tot. Env.* 189-190:51-5.

Raaschou-Nielsen O, Lohse C, Thomsen BL, et al. (1997) Ambient air levels and the exposure of children to benzene, toluene and xylenes in Denmark. *Environ Res* 75:149-159.

Raaschou-Nielsen O, Hertel O, Vignati E, et al. (2000) An air pollution model for use in epidemiological studies: evaluation with measured levels of nitrogen dioxide and benzene. *J Expo Anal Environ Epidemiol* 10:4-14.

Reponen T, Grinshpun SA, Trakumas S, Martuzevicius D, Wang ZM, LeMasters G, Lockey JE, Biswas P. (2003) Concentration gradient patterns of aerosol particles near interstate highways in the Greater Cincinnati airshed. *J Environ Monit* 5(4):557-62.

Riediker M, Williams R, Devlin R, Griggs T, Bromberg P. (2003) Exposure to particulate matter, volatile organic compounds, and other air pollutants inside patrol cars. *Environ Sci Technol* 37(10):2084-93.

Rijnders E, Janssen NA, van Vliet PH, Brunekreef B. (2001) Personal and outdoor nitrogen dioxide concentrations in relation to degree of urbanization and traffic density. *Environ Health Perspect* 109(suppl 3):411-417.

Rodes CE, Holland DM. (1981) Variations of NO, NO<sub>2</sub> and O<sub>3</sub> concentrations downwind of a Los Angeles freeway. *Atmos Environ* 15:243-250.

- Roorda-Knape MC, Janssen NAH, de Hartog JJ, van Vliet PHN, Harssema H, Brunekreef B. (1998) Air pollution from traffic in city districts near major motorways. *Atmos Environ* 32(11):1921-1930.
- Roorda-Knape MC, Janssen NAH, de Hartog J, van Vliet PHN, Harssema H, Brunekreef B. (1999) Traffic related air pollution in city districts near motorways. *Sci Total Environ* 235:339-341.
- Roosli M, Braun-Fahrlander C, Kunzli N, Oglesby L, Theis G, Camenzind M, Mathys P, Staehelin J. (2000) Spatial variability of different fractions of particulate matter within an urban environment and between urban and rural sites. *J Air Waste Manage Assoc* 50(7):1115-1124.
- Roosli M, Theis G, Kunzli N, Staehelin J, Mathys P, Oglesby L, Camenzind M, Braun-Fahrlander Ch. (2001) Temporal and spatial variation of the chemical composition of PM10 at urban and rural sites in the Basel area, Switzerland. *Atmos Environ* 35:3701-3713.
- Rotko T, Dousa A, Alm S, Jantunen M. (2001) Exposures to nitrogen dioxide in EXPOLIS-Helsinki: microenvironment, behavioral and sociodemographic factors. *J Expo Anal Environ Epidemiol* 11(3):216-223.
- Sabin LD, Behrentz E, Winer AM, Jeong S, Fitz DR, Pankratz DV, Colome SD, Fruin S. (2004) Characterizing the range of children's air pollutant exposure during school bus commutes. *J Expos Analysis and Environmental Epidemiol* doi:10.1038/sj.jea.7500414.
- Sakai R, Siegmann HC, Sato H, Voorhees AS. (2002) Particulate matter and particle-attached polycyclic aromatic hydrocarbons in the indoor and outdoor air of Tokyo measured with personal monitors. *Environ Res Section A* 89:66-71.
- Sapkota A, Buckley TJ. (2003) The mobile source effect on curbside 1,3-butadiene, benzene, and particle-bound polycyclic aromatic hydrocarbons assessed at a tollbooth. *J Air Waste Manage. Assoc.* 53:7400748.
- Sciarra G, Cenni A, Sartorelli P. (1997) Monitoring risk due to PAHs under conditions of low occupational exposure: town police and bus drivers of two Italian cities (Siena and Florence). *Giornale degli Igiantisti Industriali* 22:151-157.
- Shima M, Adachi M. (1996) Serum immunoglobulin E and hyaluronate levels in children along major roads. *Arch Environ Health* 51:425-430.
- Singer BC, Hodgson AT, Hotchi T, Kim JJ. (2004) Passive measurement of nitrogen oxides to assess traffic-related pollutant exposure for the East Bay Children's Respiratory Health Study.
- Sistla GS, Samson P, Keenan M, Rao ST. (1979) A study of pollutant dispersion near highways.

Atmos Environ 13:669-685.

Skov H, Hansen AB, Lorenzen F, et al. (2001) Benzene exposure and the effect of traffic pollution in Copenhagen, Denmark. *Atmos. Environ.* 35:2463-2471.

Tiitta P, Raunemaa T, Tissari J, Yli-Tuomi T, Leskinen A, Kukkonen J, Harkonen, J, Karppinen A. (2002) Measurements and modelling of PM<sub>2.5</sub> concentrations near a major road in Kuopio, Finland. *Atmos Environ* 36:4057-4068.

Väkevä M, Hämeri K, Kulmala M, Lahdes R, Ruuskanen J, Laitinen T. (1999) Street level versus rooftop concentrations of submicron aerosol particles and gaseous pollutants in an urban street canyon. *Atmos Environ* 33:1385-1397.

Van Dingenen R, Raes F, Putaud J-P, Baltensperger U, Charron A, Facchini M-C, Decesari S, Fuzzi S, Gehrig R, Hansson H-C, Harrison RM, Hüglin C, Jones AM, Laj P, Lorbeer G, Maenhaut W, Palmgren F, Querol X, Rodriguez S, Schneider J, ten Brink H, Tunved P, Torseth K, Wehner B, Weingartner E, Wiedensohler A, Wahlin P. (2004) A European aerosol phenomenology - 1: physical characteristics of particulate matter at kerbside, urban, rural and background sites in Europe. *Atmos Env Internat* 38:2561-2577.

Van Wijnen JH, Verhoeff AP, Jans HWA, van Bruggen M. (1995) The exposure of cyclists, car drivers and pedestrians to traffic-related air pollutants. *Internat Archives of Occup Environ Health* 67:187-193.

Van Wijnen JK, van der Zee SC. (1998) Traffic-related air pollutants: exposure of road users and populations living near busy roads. *Reviews on Environmental Health* 13(1-2):1-25.

Vardoulakis S, Gonzalez-Flesca N, Fisher BEA. (2002) Assessment of traffic-related air pollution in two street canyons in Paris: implications for exposure studies. *Atmos Environ* 36(6):1025-1036.

Vellopoulou AV, Ashmore MR. (1998) Personal exposures to carbon monoxide in the city of Athens: I. Commuters' exposures. *Environ Internat* 24:713-720.

Viard B, Pihan F, Promeyrat S, Pihan J-C. (2004) Integrated assessment of heavy metal (Pb, Zn, Cd) highway pollution: bioaccumulation in soil, Gramineae and land snails. *Chemosphere* 55:1349-1359.

Viskari E-L, Varianen M, Pasanen P. (2000) Seasonal and diurnal variation in formaldehyde and acetaldehyde concentrations along a highway in Eastern Finland. *Atmos. Environ.* 34:917-923.

Wählin P, Palmgren F, van Dingenen R. (2001) Experimental studies of ultrafine particles in streets and the relationship to traffic. *Atmos Environ.* 35 Suppl 1: S63-S69.

- Watt M, Godden D, Cherrie J, Seaton A. (1995) Individual exposure to particulate air pollution and its relevance to thresholds for health effects: a study of traffic wardens. *Occup Environ Med* 52(12):790-792.
- Wehner, B., Birmili, W., Gnauk, T., Wiedensohler, A. (2002) Particle number size distributions in a street canyon and their transformation into the urban air background: measurements and a simple model study. *Atmos. Environ.* 36:2215-2223.
- Weisel CP, Lawryk NJ, Liroy PJ. (1992) Exposure to emissions from gasoline within automobile cabins. *J Expo Anal Environ Epidemiol* 2(1):79-96.
- Wixtrom RN, Brown SL (1992) Individual and population exposures to gasoline. *J Expos Anal Environ Epidemiol* 2:23-78.
- Wrobel A, Rokita E, Maenhaut W. (2002) Transport of traffic-related aerosols in urban areas. *Sci Total Environ* 257:199-211.
- Xie S, Zhang Y, Qi L, Tang X. (2003) Spatial distribution of traffic-related pollutant concentrations in street canyons. *Atmos Environ* 37(23):3213-3224.
- Zhang KM, Wexler AS. (2004) Evolution of particle number distribution near roadways Part I: Analysis of aerosol dynamics and its implications for engine emission measurement. *Atmos Environ* 38:6643-6653.
- Zhang KM, Wexler AS. (2004) Evolution of particle number distribution near roadways Part II: The 'road-to-ambient' process. *Atmos Environ* 38:6655-6665.
- Zhu Y, Hinds WC, Kim SK, Sioutas C. (2002) Concentration and size distribution of ultrafine particles near a major highway. *J. Air Waste Manage. Assoc.* 52:1032-1042.
- Zhu Y, Hinds WC, Kim SK, Shen S, Sioutas C. (2002) Study of ultrafine particles near a major highway with heavy-duty diesel traffic. *Atmos. Env.* 36:4323-4335.
- Zhu Y, Hinds WC, Krudysz M, Kuhn T, Froines J, Sioutas C. (2005) Penetration of freeway ultrafine particles into indoor environments. *J Aerosol Sci.* (doi:10.1016/j.jaerosci.2004.9.007).
- Zmirou D, Gauvin S, Pin I, Momas I, Just J, Sahraoui F, Le Moullec Y, Bremont F, Cassadou S, Albertini M, Lauvergne N, Chiron M, Labbe A. (2002) Five epidemiological studies on transport and asthma: objectives, design and descriptive results. *J Expo Anal Environ Epidemiol* 12(3):186-196.

Near Roadway Concentrations/Exposure/Health Effects in the Grey Literature:

Basu M, Bluhm G, Gustavsson P, et al. (1995) Health risk assessment of air pollution in and around road tunnels in the country of Stockholm, Rapport 30/95. Department of Environmental Health. Stockholm County Council, (in Swedish).

Bloemen HG, Balvers TTM, van Schneindelen HJ, Lebret E, Oorsterlee A, Drijver M. (1993) Benzene study Zuid-Kennemerland; a pilot study of exposure to benzene in and around residences along busy traffic roads. Report Municipality Health Service Zuid-Kennemerland and National Institute of Public Health and Environmental Protection, September (in Dutch).

Brauer M, Henderson S. (2003) Diesel exhaust particles and related air pollution from traffic sources in the lower mainland. Final report submitted to Health Canada, Environment and Sustainability Program. February 5, 2003.

Cowherd et al (1997) Particulate matter roadway hotspots Denver field test program. MRI Project No. 4203-27.

Fitz DR, Winer AM, Colombe S. (2003) "Characterizing the Range of Children's Pollutant Exposure During School Bus Commutes," Final Report to the California Air Resources Board, Contract No. 00-322. <http://www.caq/roadschoolstudies.htm>

Institute for Risk Assessment Sciences at Utrecht University. Risk assessment of exposure to traffic-related air pollution for the development of inhalant allergy, asthma and other chronic respiratory conditions in children (TRAPCA), EU Grant ENV4-CT97-0506. Final report. Utrecht, the Netherlands, University of Utrecht.

King K, Stedman J, Goodwin. (1999) Pilot study of exposure of households to roadside NO<sub>2</sub>. Report to the Department of Environment Transport and the Regions, The Welsh Office, The Scottish Office and the Department of Environment for Northern Ireland. AEAT-5624 Issue 2.

Kittelson DB, Watts WF, Johnson JP. (2001) Fine particle (nanoparticle) emissions on Minnesota highways. Final Report 2001-12 for the Minnesota Department of Transportation.

Measuring Concentrations of Selected Air Pollutants Inside California Vehicles. (1998) Sacramento: California Air Resources Board, Research Division; Publication no. 95-339.

Midwest Research Institute Particulate Matter Roadway Hot Spots Denver Field Test Program Summary Report July 15, 1997 U.S. EPA Contract No. 68-D3-0031.

Multiple Air Toxics Exposure Study in the South Coast Air Basin MATES-II (1999) South Coast Air Quality Management District.

Norsk Institut fur Luftforskning (NILU) (1991) The health effects of traffic pollution as measured in the Valerenga region of Oslo. Summary report. Lillestrom: Norsk Institut fur Luftforskning.

Shikiya, D.C., C.S. Liu, M.I. Kahn, J. Juarros, and W. Barcikowski. (1989) In-vehicle air toxics characterization study in the south coast air basin. South Coast Air Quality Management District, El Monte, CA. May, 1989.

Wilson, A. et al. (1991) Air toxics micro-environment exposure and monitoring study. South Coast Air Quality Management District, El Monte, CA.